

# SAFETY DATA SHEET

Athena EPZ FS 75W/80



## **EXOL LUBRICANTS LIMITED**

ALL SAINTS ROAD, WEDNESBURY, WEST MIDLANDS, ENGLAND, WS10 9LL

TEL: +44 (0) 121 568 6800 • FAX: +44 (0) 121 568 6720

WWW.EXOL-LUBRICANTS.COM





## Athena EPZ FS 75W/80

**Product Code: G157** 

## SECTION 1 IDENTIFICATION OF SUBSTANCE/MIXTURE AND OF COMPANY/UNDERTAKING

1.1 Product Identifier Athena EPZ FS 75W/80

Product Code G157

**1.2 Relevant identified uses of the** Automotive gear lubricant.

**substance or mixture and uses**Do not use in any other application.

advised against

1.3 Company Exol Lubricants Limited

All Saints Road, Wednesbury,

West Midlands, WS10 9TS

**1.4 Emergency Telephone Number** +44 (0) 121 568 6800 (Monday – Friday 08.30 – 17.00 hrs GMT)

**5 Other Information** Preparation Date: 22/02/2015

## SECTION 2 HAZARD IDENTIFICATION

2.1 Classification of the substance or mixture Not classified as hazardous in accordance with CLP (EC 1272/2008) and DPD

(1999/45/EC)

2.2 Label Elements
2.3 Other Hazards
No labelling required
None to mention

## SECTION 3 COMPOSITION/ INFORMATION ON INGREDIENTS

3.2 Mixtures					
Hazardous Ingredients	EC No.	REACH Reg. No.	GHS Classification	DSD Classification	Conc. %
Reaction products of Benzeneamine, N-phenyl-with nonene (branched)	253-249-4	01- 2119488911-28	Aquatic Chronic 4; H413	R53	<1.5
Reaction products of 4-methyl-2- pentanol and diphosphorus pentasulphide, propoxylated, esterified with diphosphous pentaoxide, and salted by amines, C12-14-tert-alkyl	931-384-6	01- 2119493620-38	Acute Tox. 4; H302 Aquatic Chronic 2; H411 Eye Dam. 1; H318 Flam. Liq. 3; H226 Skin Sens. 1; H317	N Xn R22, R41, R43, R51/53	<1.5
2-Ethylhexyl methacrylate	211-708-6	01- 2119490166-35	Aquatic Chronic 3; H412 Eye Irrit. 2; H319 Skin Irrit. 2; H315 Skin Sens. 1B; H317 STOT SE 3 ; H335	None	<0.15
2-Propenoic acid, 2-methyl-, tridecyl ester	219-671-8	Not Available	Eye Irrit. 2; H319 Skin Irrit. 2; H315 Skin Sens. 1; H317	None	<0.15
2-Propenoic acid, 2-methyl-, tetradecyl ester	219-835-9	Not Available	Eye Irrit. 2; H319 Skin Irrit. 2; H315 Skin Sens. 1; H317	None	<0.15
2-Propenoic acid, 2-methyl-, pentadecyl ester	228-126-3	Not Available	Eye Irrit. 2; H319 Skin Irrit. 2 ; H315 Skin Sens. 1 ; H317	None	<0.15
Dodecyl methacrylate	205-570-6	Not Available	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 Eye Irrit. 2; H319 Skin Irrit. 2; H315 Skin Sens. 1; H317 STOT SE 3; H335	N Xi R36/37/38, R43, R50/53	<0.15

## Other Information

It is understood from toxicological information given for the components present that at the treatment rate used in the finished oil, the material is not expected to cause allergic skin reactions.





#### **SECTION 4** FIRST AID MEASURES

Description of first aid measures

Inhalation If inhalation of mists, fumes or vapour causes irritation to the nose or throat, or coughing, remove to

fresh air. If symptoms persist obtain medical advice.

Wash eye thoroughly with copious quantities of water, ensuring eyelids are held open. Obtain medical Eyes

advice if any pain or redness develops or persists.

Wash skin thoroughly with soap and water as soon as reasonably practicable. Remove heavily Skin

contaminated clothing and wash underlying skin.

If contamination of the mouth occurs, wash out thoroughly with water. Except as a deliberate act, the Ingestion

ingestion of large amounts of product is unlikely. If it should occur, do not induce vomiting; obtain

medical advice.

Most important symptoms and effects, both No ill effects known

acute and delayed

Indication of immediate medical attention and special treatment needed, if necessary Eye contact: immediately wash out with plenty of water

#### **FIRE-FIGHTING MEASURES SECTION 5**

**Extinguishing media** Use foam, dry power or water fog. DO NOT USE water jets. Water may be used to cool nearby

heat exposed areas/objects/packages.

Avoid spraying directly into storage containers because of the danger of boil-over. Toxic fumes Specific hazards arising from the substance or mixture may be evolved on burning or exposure to heat. See Stability and Reactivity, Section 10 of this

data sheet.

Advice for fire-fighters Wear self-contained breathing apparatus.

#### **SECTION 6 ACCIDENTAL RELEASE MEASURES**

Wear Personal Protective Equipment. Spilled material may make surfaces slippery. Contain and Personal precautions, protective equipment and recover spilled material using sand or other suitable inert absorbent material. It is advised that

stocks of suitable absorbent material should be held in quantities sufficient to deal with any

spillage which may be reasonably anticipated. **Environmental precautions** 

Protect drains from potential spills to minimise contamination. Do not wash product into drainage system.

In the case of large spills contact the appropriate authorities. In the case of spillage on water, prevent the spread of product by the use of suitable barrier equipment. Recover product from the

surface. Protect environmentally sensitive areas and water supplies.

6.3 Methods and material for

containment and cleaning up

emergency procedures

Absorb into dry earth or sand, transfer into suitable containers for disposal.

Reference to other sections Personal protective equipment: See section 8

#### **SECTION 7** HANDLING AND STORAGE

Precautions for safe Avoid contact with eyes. If splashing is likely to occur wear a full face visor or chemical goggles as handling appropriate. Avoid frequent or prolonged skin contact with fresh or used product. Good working practices,

high standards of personal hygiene and plant cleanliness must be maintained at all times. Wash hands

thoroughly after contact.

Use disposable cloths and discard when soiled. Do not put soiled cloths into pockets.

Conditions for safe Store under cover away from heat and sources of ignition.

storage, including Product contaminated rags, paper or material used to absorb spillages, represent a fire hazard, and should

not be allowed to accumulate. Dispose of safely immediately after use.

Specific end use(s) Intended for use as an automotive gear lubricant.

#### **SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Control parameters** 

Substance Long Term (8 Hours TWA) **Short Term (15 Mins)** Country

None known

any incompatibilities

Use local exhaust ventilation to control mists or vapours. **Exposure controls** 

**Hand Protection: PVC** gloves **Eve Protection:** Safety glasses Skin Protection: Normal work wear Respiratory Protection: Not normally required





#### **SECTION 9** PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

**Typical Values** 

Grades: Athena EPZ FS 75W/80 Units

Amber Liquid **Appearance** 

Odour Oily

**Odour Threshold** No data available

Not applicable Pour point/range -39

3° 3° 2° Initial boiling point and range No data available

Flash point (COC) 215

**Auto Flammability** No data available Upper/lower flammability or explosive limits Not applicable

Vapour pressure kPa (0.1 mm Hg) No data available Relative density kg/m³ 0.862 @ 20°C

Solubility - water kg/m³ Insoluble

Partition coefficient n-octanol/water No data available Autoignition temperature No data available

**Decomposition temperature** No data available 56.4 @ 40°C Viscosity mm²/s 9.6 @ 100°C mm²/s

**Evaporation rate** Not applicable Not applicable Vapour density **Explosive properties** Not applicable **Oxidising properties** None

None Other Information

#### **SECTION 10** STABILITY AND REACTIVITY

10.1 Reactivity No dangerous reactions known 10.2 Chemical stability Stable under normal conditions of use

10.3 Possibility of hazardous None known reactions

10.4 Conditions to avoid Avoid overheating

10.5 Incompatible materials Avoid contact with strong oxidising agents

10.6 Hazardous decomposition Thermal decomposition products will vary with conditions. Incomplete combustion will generate

smoke, carbon dioxide and hazardous gases, including carbon monoxide and hydrogen sulphide

and oxides of sulphur and phosphorus.

#### **SECTION 11 TOXICOLOGICAL INFORMATION**

## 11.1 Information on toxicological effects

**Acute Toxicity** 

-Oral Low order of acute toxicity -Inhalation Low order of acute toxicity Low order of acute toxicity - Dermal

Corrosivity/Irritation

products

-Eye No components present that are classified as eye irritants.

- Skin No components present that are classified as skin irritants but may cause skin irritation due to de-fatting

effect on skin.

-Respiratory Tract No components present that are classified as respiratory irritants.

Sensitisation

No evidence of sensitisation effects. -Skin No evidence of sensitisation effects. Respiratory

Repeated-dose Toxicity No data available.

Mutagenicity No evidence of mutagenicity. Carcinogenicity No evidence of carcinogenicity. **Reproductive Toxicity** No evidence of reproductive toxicity.





## SECTION 12 ECOLOGICAL INFORMATION

**12.1 Toxicity**Not classified as dangerous for the environment. No ecotoxic chemicals present.

However, spills may form a film on water surfaces causing physical damage to

organisms. Oxygen transfer could also be impaired.

**12.2 Persistence and Degradability**This product is inherently biodegradable.

**12.3 Bioaccumulative Potential**There is no evidence to suggest bioaccumulation will occur.

**12.4 Mobility in Soil**Non-volatile. Spillages may penetrate the soil causing ground water contamination.

12.5 Results of PBT and vPvB Assessment No PBT or vPvB chemicals present.

12.6 Other Adverse Effects None known.

## SECTION 13 DISPOSAL CONSIDERATIONS

## 13.1 Waste Treatment Methods

Dispose in a regulated landfill site or other method for hazardous or toxic waste. Dispose of in accordance with local and national regulations.

### SECTION 14 TRANSPORT INFORMATION

Not classified as hazardous for transport (ADR, RID, UN, IMDG, IMO, IATA/ICAO).

## SECTION 15 REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Supply regulations: DPD: Dangerous Preparations Directive; GHS: Globally Harmonised System of classification and labelling of chemicals; CLP: Classification, Labelling and Packaging regulations. Transport regulations: CDG: Carriage of Dangerous Goods

regulations; ADR/RID/IMDG/ICAO/IATA regulations.

No formal chemical safety assessment has been carried out.

15.2 Chemical Safety Assessment

## SECTION 16 OTHER INFORMATION

Second Issue

First Issue January 2014: Changed to new format

Full text of classification data in sections 2 and 3

Acute Tox. 4; H302 Acute toxicity, oral, Hazard Category 4; Harmful if swallowed

Skin Sens. 1; H317

Sensitisation, skin, Hazard Category 1; May cause an allergic skin reaction

Serious eye damage/eye irritation, Hazard Category 1; Causes serious eye damage

Eye Irrit. 2; H319

Sensitisation, skin, Hazard Category 1; May cause an allergic skin reaction

Serious eye damage/eye irritation, Hazard Category 2; Causes serious eye irritation

Skin Irrit. 2; H315 Skin corrosion/irritation, Hazard Category 2; Causes skin irritation

STOT SE 3; H335 Specific target organ toxicity, single exposure; Respiratory tract irritation, Hazard Category 3; May

cause respiratory irritation

Aquatic Acute 1; H400 Hazardous to the aquatic environment, acute hazard, Hazard Category 1; Very toxic to aquatic life

Aquatic Chronic 1; H410 Hazardous to the aquatic environment, long-term hazard, Hazard Category 1; Very toxic to aquatic

life with long lasting effects

Aquatic Chronic 2; H411 Hazardous to the aquatic environment, long-term hazard, Hazard Category 2; Toxic to aquatic life

with long lasting effects

Aquatic Chronic 3; H412 Hazardous to the aquatic environment, long-term hazard, Hazard Category 3; Harmful to aquatic life

with long lasting effects

Aquatic Chronic 4; H413 Hazardous to the aquatic environment, long-term hazard, Hazard Category 4; May cause long lasting

harmful effects to aquatic life

Xn; R22 Harmful if swallowed

Xi; R41 Risk of serious damage to the eyes
Xi; R43 May cause sensitisation by skin contact
Xi; R36/37/38 Irritating to eyes, respiratory system and to skin

N; R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment N; R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

R53 May cause long-term adverse effects in the aquatic environment